

HiStone

POS System | Luna | HK718E

Key Features

- ❑ All-In-One POS with 14" TFT LCD widescreen display
- ❑ True flat capacitive touch screen
- ❑ Fanless design for silent operation
- ❑ Anti-oxidation scratch coating
- ❑ Completely sealed design has no visible screws
- ❑ Optional integrated 80mm printer
- ❑ Available in Black or Silver/Ivory



MODEL		HK718E
Processor		Intel® Bay Trail J1900, Quad-core 2.0GHz up to 2.42GHz
Operating System		Windows 7 / Windows 8.1 / Windows 10 / Linux
Memory		SO-DIMM DDR3L 1066/1333MHz 4GB up to 8GB
Storage		SATA SSD 64GB up to 256GB
		SATA HDD 500GB
Display Panel		14" LED widescreen Standard resolution: 1920 x 1080
Touch Screen		True flat capacitive touch screen
Power Supply		24V 90W
Speaker		2* 2W Speaker
I/O Ports	USB	5* 2.0, 1* 24V Powered, 1* 3.0
	Serial	3* DB9
	LAN	1* RJ45 100M/1000M Gigabit
	Cash Drawer	1* 24V RJ11
	Audio	1* 3.5mm
	HDMI	Not supported
Default Peripherals	MSR	3 tracks MSR (OPOS)
Optional Peripherals	Camera	Not supported
	Wi-Fi®	Single-band 802.11a/b/g/n 2.4GHz
		Dual-band 802.11a/b/g/n/ac 2.4GHz/5GHz
	Bluetooth	Not supported
	Second Display	14" Touch / Non-touch Resolution: 1920 x 1080
		10.1" Touch / Non-touch Resolution: 1280 x 800
		2x20 Characters VFD
	Printer	Integrated 80mm thermal printer
RFID	RFID (supports MIFARE one & MIFARE CPU card, OPOS)	
Scanner	2D Image scanner (for payment QR code)	
Dimensions (WxDxH)		345 × 210 × 435 mm
Weight		9kg
Tilt Adjustment		0° - 45° (Vertical)
Operating Voltage		110V~240V
Environment	Operating	5°C - 40°C / 40%-90% RH non-condensing
	Storage	-20°C - 60°C / 10%-90% RH non-condensing
EMC and Safety		FCC , Class-B/CE, Class-B/RoHS
Colour		Silver/Ivory or Black

Disclaimer: All products specifications are subject to change without notice.



- ❑ Optional Integrated Thermal Printer
- ❑ Available in Black or Silver/Ivory



- ❑ Optional Customer-facing Barcode Scanner



- ❑ Integrated MSR Reader
- ❑ Optional RFID Module